



Product Service

# CERTIFICATE

No. Z1 016936 0095 Rev. 00

**Holder of Certificate:** **smb Seilspielgeräte GmbH**  
**Berlin in Hoppegarten**  
Technikerstraße 6/8  
15366 Hoppegarten  
GERMANY

**Certification Mark:**



**Product:** **Playground equipment**  
**Multisport equipment**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 713352945

**Valid until:** 2031-03-02

**Date,** 2026-03-05

( Jens Biesenack )

# CERTIFICATE

No. Z1 016936 0095 Rev. 00

**Model(s):** **Streetball system**  
7010021, 7010026, 7010002602, 7010017, 7010037,  
7010016, 7010030, 7010005, 7010106, 7011116,  
7010201, 7010040, 7040038, 7040024, 7040011,  
7040101, 7041001, 7040060

## Parameters:

Complete streetball system:

Original streetball system, item no.: 7010021  
Pole projection 100 cm  
Pole tube diameter: 133 mm  
Ring height: 3.05 m  
Inner diameter of ring: 450 mm  
Goal backboard made of grating, mesh size 44x44 mm

Extended streetball system, item no.: 7010026  
Pole projection 101-178 cm  
Pole tube diameter: 133 mm  
Ring height: 3.05 m  
Inner diameter of ring: 450 mm  
Goal backboard made of grating, mesh size 44x44 mm

Individual components:

Flange anchorage SBE incl. flange cover SBEM, item no.: 7010002602  
Foundation anchor incl. cover for  
flange screw connections, hot-dip galvanised

Streetball stand tube, original, item no.: 7010017  
for pole projection 100 cm  
Post tube Ø: 133 mm, hot-dip galvanised

Streetball stand tube, extended, item no.: 7010037  
for pole projection 101-178 cm  
Post tube Ø: 133 mm. Hot-dip galvanised

Streetball backboard 'standard' made of grating, item no.: 7010016  
W x H: 1200 x 900 mm, mesh 44 x 44 mm,  
hot-dip galvanised

Streetball backboard 'tournament' made of grating, item no.: 7010030  
W x H: 1830 x 1055 mm, mesh size 44 x 44 mm,  
hot-dip galvanised

# CERTIFICATE

No. Z1 016936 0095 Rev. 00

Streetball basket 'SBK-01', item no.: 7010005  
Inner diameter of upper tube ring: 450 mm  
Inner diameter of lower tube ring: 270 mm  
Spray galvanised and powder coated  
Net made of Hercules rope Ø 16 mm

Streetball basket '99 classic', item no.: 7010106  
Inner diameter of upper tube ring: 450 mm  
Inner diameter of lower rope ring: 270 mm  
Spray galvanised and powder coated  
Net made of Hercules rope Ø 16 mm

Streetball basket 'URBN HOOP', item no.: 7011116  
Inner diameter of tube ring: 450 mm  
Spray galvanised and powder coated  
Net made of paracord rope Ø 8 mm

Streetball post shortening, item no.: 7010201  
Variable up to ring height: 2.15 m

Column protection pad with zip, item no.: 7010040  
Made of polymer mixture (closed cell)  
Protective pad height: 2000 mm

citytore:

citytor compact, item no.: 7040038  
Width: 1.17 m  
Height: 0.60 m  
Depth: 0.60 m  
Nets made of Hercules rope Ø 8 mm  
Clear mesh size 30 x 122 mm  
Anchoring via hot-dip galvanised ground anchors, item no.: 7040024

citytor medi, item no.: 7040011  
Width: 2.58 m  
Height: 1.57 m  
Depth: 0.79 m  
Nets made of Hercules rope Ø 8 mm  
Clear mesh size 36 x 122 mm  
Anchoring via hot-dip galvanised ground anchors, item no.: 7040101

citytor original II, item no.: 7041001  
Width: 3.16 m  
Height: 2.09 m  
Depth: 0.79 m  
Nets made of Hercules rope Ø 8 mm  
Clear mesh size 36 x 122 mm  
Anchoring via hot-dip galvanised ground anchors, item no.: 7040101



# CERTIFICATE

No. Z1 016936 0095 Rev. 00

citytor extended, item no.: 7040060

Width: 5.11 m

Height: 2.09 m

Depth: 0.79 m

Nets made of Hercules rope Ø 8 mm

Clear mesh size 36 x 122 mm

Anchoring via hot-dip galvanised ground anchors, item no.: 7040101

**Tested according to:** DIN EN 15312:2010  
EK2/AK2.4 08.1-09:2009